EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3161	709/236	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 05:41
L3	0	hamedeh.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 05:41
L4	38	hamadeh.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 05:41
L5	22	kesidis.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 05:41
L6	3	(packet$2) and (l4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 05:42
L7	4	(packet$2) and (l5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 05:42
S2	1	10/617258	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 14:39
S3	1	10/617258	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 14:22
S4	367	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) and (address$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:07

S5	163	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:17
S6	1	60/395838	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:12
S7	1	60/470337	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:12
S8	24	(ddos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:26
S9	115	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5) and (track)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:35
S10	123	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5) and (track or trace)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:43
S11	122	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5) and (track or trace) and (ip)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 15:44
S12	30	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5) and (track or trace) and (mark) near7 (ip)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 10:19
S13	3	"6938171"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/07 12:32
S14	16	"626370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:06

S15	18	"6269370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/19 13:06
S16	6	(dos) and (attack) and (border or edge) same (router or device) and (mark$5) same (packet) and (address$5) and (track or trace) and (mark) near7 (ip) and (@ad<="20020712")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 18:10
S17	6	(dos) and (attack) and (border or edge) same (router or device) and (mark$5 or flag $4) same (packet) and (address$5) and (track or trace) and (mark) near7 (ip) and (@ad<="20020712")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 18:11
S18	18	(dos or denial of service) and (attack) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$4) and (mark $5 or flag$4 or insert$4) near7 (ip) and (@ad<="20020712")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/30 19:07
S19	0	"10739771".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/02 08:23
S20	9	(dos or denial of service) and (attack) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$4) and (mark $5 or flag$4 or insert$4) near7 (ip) and (@ad<="20020712") and (fragment$4 or segment $4)same (packet$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 06:15
S21	6	(dos or denial of service) and (attack) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$4) and (mark $5 or flag$4 or insert$4) near7 (ip) and (@ad<="20020712") and (fragment$4 or segment $4)same (packet$6) and (fragment$4 or segment$4) same (compar$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 06:18

S22	6	(attack$2) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$4) and (mark$5 or flag$4 or insert$4) near7 (ip) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 06:23
S23	6	(attack$2) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert$4) near7 (ip) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 06:38
S24	6	(dos or denial of service) and (attack$2) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert$4) near7 (ip) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 06:39
S25	6	(dos or denial of service) and (attack$2) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert$4 or add$4) near7 (ip or flag$2 or mark$4 or id or identifier$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:03

S26	6	(dos or denial of service) and (attack$2) and (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert$4 or add$4) near7 (ip or flag$2 or mark$4 or id or identifier$2 or header) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:08
S27	6	(dos or denial of service) and (attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router$2 or device$2) and (mark$5 or flag$4) same (packet) and (address$5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert$4 or add$4) near7 (ip or flag$2 or mark$4 or id or identifier$2 or header) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:25
S28	7	(dos or denial of service) and (attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router$2 or device$2) and (address$5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert$4 or add$4) near7 (ip or flag$2 or mark$4 or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4)same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:27

S29	7	(dos or denial of service) and (attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router $2 or device$2) and (address $5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert $4 or add$4) near7 (ip or flag $2 or mark$4 or id or identifier $2 or header) same (packet $2) and (@ad< ="20020712") and (fragment$4 or segment $4)same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof $4) and (determin$4 or find$4 or locat$4) same (safe or trust $4 or clear or attack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:38
S30	7	(dos or denial of service) and (attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router $2 or device$2) and (address $5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert $4 or add$4 or stamp$4) near7 (ip or flag$2 or mark$4 or id or identifier$2 or header) same (packet$2) and (@ad< ="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (spoof $4) and (determin$4 or find$4 or locat$4) same (safe or trust $4 or clear or attack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:42
S31	7	(dos or denial of service) and (attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router $2 or device$2) and (address $5) and (track$4 or trac$7) and (mark$5 or flag$4 or insert $4 or add$4 or stamp$4) near7 (ip or flag$2 or mark$4 or id or identifier$2 or header) same (packet$2) and (@ad< ="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat $4) same (safe or trust$4 or clear or attack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 07:50

S32	7	(dos or denial of service) and (attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router$2 or device$2) and (address$5) and (track$4 or trac$7) and (mark$5 or insert$4 or add$4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat$4) same (safe or trust$4 or clear or attack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 08:03
S33	8	(dos or denial of service or attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router$2 or device$2) and (address$5) and (track$4 or trac$7) and (mark$5 or insert$4 or add$4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat$4) same (safe or trust$4 or clear or attack)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 08:07
S34	0	(dos or denial of service or attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router$2 or device$2) and (address$5) and (track$4 or trac$7) and (mark$5 or insert$4 or add$4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat$4) same (safe or trust$4 or clear or attack) same (region$2 or area$2 or domain$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 08:18

S35	8	(dos or denial of service or attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router $2 or device$2) and (address $5) and (track$4 or trac$7) and (mark$5 or insert$4 or add $4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat $4) same (region$2 or area$2 or domain$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 08:20
S37	6	(dos or denial of service or attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router $2 or device$2 or gateway$2) and (address$5) and (track$4 or trac$7) and (mark$5 or insert$4 or add$4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat $4) near5 (region$2 or area$2 or domain$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 08:22
S38	6	(dos or denial of service or attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router $2 or device$2 or gateway$2) and (address$5) and (track$4 or trac$7) and (mark$5 or insert$4 or add$4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat $4) near5 (region$2 or area$2 or domain$2 or subnet or subnetwork$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/03 08:27

| S39 | 8 | (dos or denial of service or attack$2) and (find$4 or determin$4 or locat$4) same (border or edge) near5 (router$2 or device$2 or gateway$2) and (address$5) and (track$4 or trac$7) and (mark$5 or insert$4 or add$4 or stamp$4) near7 (ip or flag or id or identifier$2 or header) same (packet$2) and (@ad<="20020712") and (fragment$4 or segment$4) same (packet$6) and (fragment$4 or segment$4) same (compar$4) and (determin$4 or find$4 or locat$4) same (region$2 or area$2 or domain$2) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/16 09:48 |

8/17/2009 5:50:46 AM
C:\ Documents and Settings\ gsmarth\ My Documents\ EAST\ Workspaces\ 10617258-
realtimepackettracebackandmarkingpolocies.wsp